

PLI-DEK™

WATERPROOFING



25 Years
of Waterproofing Excellence

Pli-Dek™ ICC ES ER - 3732 System

Waterproofing for Plywood Substrates

The Pli-Dek waterproof deck system has been ICC Evaluated since 1980. Through the years, the Pli-Dek System has proven its ability to provide unsurpassed durability and waterproofing success. The Pli-Dek System has passed a multitude of ASTM Tests including fire ratings, chemical resistance, bond strength, slip resistance, and many more. With the Systems' inherent durability, the base coat can be applied in the framing stage of the project in order to offer early protection throughout the construction process.

Architects, General Contractors, Real Estate Investment Trusts, and Homeowners have trusted for years in the proven ability to provide a durable, effective, and affordable traffic coating system.



System Highlights:

- Unlimited ICC Recognized Finish Options
- Seamless
- UV Stable
- Fast Drying
- One-Hour Fire Rated
- Class "A" Fire Rated
- City of LA Approval
- Low Maintenance
- ICC Evaluated Since 1980
- Successfully Passed 19 ASTM Tests
- Approximately 1/4" Thick
- Durable

Optional Finishes



American Flagstone

See ICC ES ER #3732 for allowable values and / or conditions of use concerning material presented in this document. It is subject to re-examination and revision.



PD™ Texture Coat

Decorative Concrete Overlays

The PD Texture Coat is a decorative concrete overlay system for new or existing concrete areas such as: pool decks, patios, sidewalks, driveways, etc. The PD Texture Coat is approved by the A.D.A as an anti-slip finish. With fifteen standard colors, means of custom color matching, and the versatility of finish options, the PD Texture Coat will enhance the look and value of your existing dull concrete at an affordable price.

System Highlights:

- Withstands Vehicular Traffic
- Tapers to 0"
- Low Maintenance
- UV Stable
- Affordable
- Durable



Con-Dek™ Waterproofing System

Waterproof for Concrete Substrates

The Con-Dek System is a waterproof deck coating for concrete substrates and is a solution for existing failed waterproofing systems in the re-construction market. The Con-Dek System utilizes a 3/4 oz. Fiberglass Mat and an elastomeric acrylic resin providing a flexible base coat. With the combination of elastomerics and the durability of the polymer modified cementitious finish coats, the Con-Dek System provides a durable yet flexible waterproof system for years to come.

System Highlights:


- Extensive Finish Options
- Cost Effective
- Low Maintenance
- Durable
- UV Resistant




Kings Slate




GS88-1 Sealer Standard Colors



*Executive Gray **



Medium Gray



*Dark Gray **




Country Blue




*Arizona **



*Sandstone **




*Mud Pie **




Putty



Desert Peach



*Hickory **



*Terra Cotta **




*Cedar **



*Revere **




*Stamford **



*Brandy **

* Also available in cementitious tint viles, colors will appear darker after sealed. Actual colors will vary.


Template Styles - as Unlimited as Your Imagination




Basket Weave




Herringbone



Norman Cobbles



King's Slate



Brick Ribbon




Fanfare



Serpentine




*American
Flagstone*




Baltimore Brick



Santa Fe



Saitlo Tile



*Palos Verde
Stone*

Pli-Dek, Inc.

(800) 364-0287

www.plidek.com